EDITORIAL

Open Access



Editorial for the Thematic Series in *Agriculture & Food Security*: Climate-Smart Agriculture Technologies in West Africa: learning from the ground AR4D experiences

Jules Bayala^{1*}, Robert Zougmoré², Sidzabda Djibril Dayamba¹ and Alain Olivier³

This Thematic Series on "Climate-Smart Agriculture Technologies in West Africa: learning from the ground AR4D experiences" contains seven papers presented by researchers from four West African countries based on participatory action research conducted since 2012 in the region. These research activities were funded by the CGIAR Research Program on Climate Change Agriculture and Food Security (CCAFS) through a project titled "Developing community-based climate-smart agriculture through participatory action research in CCAFS benchmark sites in West Africa" (see [1]). This research action under the scientific lead of the World Agroforestry Centre (ICRAF) aimed to test and validate, in partnership with rural communities and other stakeholders, scalable climate-smart village models for agricultural development that integrate a range of innovative agricultural risk management strategies. The project also aimed to enable farmers, developers, managers and policy makers for the agriculture sector to develop cost-effective climate-smart agriculture (CSA) options that support local sustainable development and enhance livelihood resilience. It is therefore a response to the challenges (degraded lands, low crop productivity, high level of poverty for rural people, etc.) faced to satisfy the food needs of an increasing population in the face of a changing climate.

Indeed, FAO [2] has estimated that to feed the world population, food production needs to increase by at least 70% by 2050, and this increase in demand will be much greater in sub-Saharan Africa [3, 4]. In the region, although soil fertility is known as one of the major challenges faced by agriculture [5, 6], climate change and



Therefore, managing agricultural production risk is of paramount importance in the context of a crucial need of improving food security and sustaining rural economies [10, 11]. In the light of this, a holistic concept of agriculture production, climate-smart agriculture (CSA), is proposed as a solution to transform and reorient agricultural systems to support food security under the new realities of climate change. CSA consists of co-achieving three objectives, or pillars, defined as: (1) sustainably increasing agricultural productivity to support equitable increases in incomes, food security and development; (2) adapting and building resilience to climate change from the farm to national levels; and (3) reducing or removing GHG emissions where possible [12, 13].

As there are huge variations between geographic locations and socio-economic conditions in terms of risks to be faced and capacities to face them, CSA thrives to engage context-specific and locally adapted actions and interventions, along the whole agricultural value chain [7]. In the same line, it is believed that the management of natural and human resources of agricultural production at the very local level determines the success or failure in closing the yield gap [14]. However, evidences on options that can guarantee attainment of the objectives set forth by CSA concept are yet to be documented, and it is the intent of this Thematic Series to share findings and lessons from attempts to evaluate some of these options.

The options evaluated here were trialled in the frame of the climate-smart village (CSV) Agricultural Research for Development (AR4D) approach developed by CCAFS to



© The Author(s) 2017. This article is distributed under the terms of the Creative Commons Attribution 4.0 International License (http://creativecommons.org/licenses/by/4.0/), which permits unrestricted use, distribution, and reproduction in any medium, provided you give appropriate credit to the original author(s) and the source, provide a link to the Creative Commons license, and indicate if changes were made. The Creative Commons Public Domain Dedication waiver (http://creativecommons.org/ publicdomain/zero/1.0/) applies to the data made available in this article, unless otherwise stated.

^{*}Correspondence: j.bayala@cgiar.org

¹ World Agroforestry Centre (ICRAF), West and Central Africa Regional Office - Sahel Node, BP E5118, Bamako, Mali

Full list of author information is available at the end of the article

stimulate scaling of CSA. This approach is founded on the principles of participatory action research, for grounding research on appropriate and location-/context-specific enabling conditions, generating greater evidence of CSA effectiveness in a real-life setting and facilitating co-development of scaling mechanisms towards landscapes, subnational and national levels [12]. In this AR4D approach, CSVs are: (1) multi-stakeholder learning platforms; (2) participatory test beds for generating greater evidence of CSA effectiveness; and (3) cornerstones to draw out scaling lessons for policy makers from local to global levels. CSA is seen in a broad sense, including practices, technologies, services and institutional options (Fig. 1).

It is in line with such CSV AR4D approach that in this Thematic Series, Sanogo et al. [15] studied the implementation of the whole process in the Kaffrine region in Senegal. Their paper covers four interdependent groups of activities/domains (encompassing the different components in Fig. 1), namely local and institutional knowledge, the use of climate information services, the development of climate-smart technologies and how all this fits into local development plans. This work also documented how the approach is perceived by farmers in comparison with previous approaches.

One of the critical steps in the CSV AR4D approach is the creation of evidences through evaluation and development of portfolios of climate-smart interventions that could easily be out- and upscaled. This includes biophysical agricultural options as tested, validated and reported, in this Thematic Series, by Sanou et al., Buah et al. and Traoré et al. [16-18] who document evidences on how tillage methods, fertilization, crop varieties and cropping systems under varying rainfall conditions in Burkina Faso, Ghana and Mali have impacted productions (Fig. 1: component CSA practices and technologies). Evidences are also needed on how the provision of agriculturalrelated services, notably climate information services, helps improve the management of climate risks. This is the subject of the paper by Etwire et al. [19] who aimed to understand drivers of farmers' decision to use climaterelated agriculture services, their perception of the usefulness of such services, and constraints associated with their use (Fig. 1: component climate information services and insurance).

In general, ligneous resources are important contributors to livelihood needs in farming communities [20, 21], and this could be especially true in the context of climate change. In the Sahel particularly, when annual crops do not provide sufficient food, local population relies on ligneous resources in their adaptation strategies. Therefore, a better understanding of the interactions between the different communities and tree resources could guide management practices for an optimized contribution of these resources to resilience efforts. The paper by Ouedraogo et al. [22] tackles such issues and presents data on the uses and vulnerability of ligneous species exploited by local population of northern Burkina Faso in their adaptation strategies to changing environments (Fig. 1: component farmers' knowledge). Also, despite harsh conditions, some species thrive in specific sites, making identification of those species and their potential preferred microsites a great step towards their sound regeneration and safeguard for continuous provision of population tree-related needs. This was the objective of the second paper by Ouédraogo et al. [23] (Fig. 1: component CSA practices and technologies).

From the papers presented in this Thematic Series, important results have been generated that can be fed into policy initiatives at national level and in the region (e.g. the West Africa CSA alliance) by guiding on orientations and priorities. For instance, Etwire et al. [19] identified inexact information, complex text messages, information that are too costly to implement, and poor infrastructure as the constraints to the utilization of mobile-phone-based weather and market information, implying that properly addressing those issues is a prerequisite to promoting the use of climate services in farming communities. However, the AR4D works presented in this Thematic Series have, so far, been weakly tackled some components of the CSV approach; those components should be prioritized in future efforts of



action research in the sites and the region. For instance, although climate information services have become common practice (despite some weaknesses spotted out above), there is still a need to explore ways of developing climate-related agriculture insurance and offer it as potential adaptation option to farming communities. Also, more work is yet to be done to get public and private, climate and agriculture development finance institutions to support upscaling of proven CSA options.

Overall, this Thematic Series has provided ground evidences on, for instance, (1) the effectiveness of the CSV approach in engaging communities in the sustainable development of their adaptive capacity to CC [15], (2) the performance of specific CSA practices [16, 18] and (3) the requirement to match the combination of agriculture technologies/practices to the nature of the given season, i.e. the need to adapt practices to forecasts, as evidenced in Sanou et al. [17]. All this brings new scientific knowledge that could serve as guiding principles in diffusing CSA in agriculture development initiatives in West Africa, where there is already evidence of such mainstreaming request for some regional programmes.

Authors' contributions

JB and SDD wrote the manuscript. RZ and AO revised the document and added critical sections. All authors amended the earlier drafts. All authors read and approved the final manuscript.

Author details

¹ World Agroforestry Centre (ICRAF), West and Central Africa Regional Office -Sahel Node, BP E5118, Bamako, Mali. ² International Crops Research Institute for the Semi-Arid Tropics (ICRISAT), P. O. Box 320, Bamako, Mali. ³ Département de phytologie, Faculté des sciences de l'agriculture et de l'alimentation, Université Laval, 2425, rue de l'Agriculture, Quebec, QC G1V 0A6, Canada.

Competing interests

The authors declare that they have no competing interests.

Publisher's Note

Springer Nature remains neutral with regard to jurisdictional claims in published maps and institutional affiliations.

Received: 3 March 2017 Accepted: 9 April 2017 Published online: 01 September 2017

References

- Bayala J, Zougmoré R, Ky-Dembele C, Bationo BA, Buah S, Sanogo D et al. Towards developing scalable climate-smart village models: approach and lessons learnt from pilot research in West Africa. ICRAF Occasional Paper No 25 Nairobi: World Agroforestry Centre. 2016.
- FAO. How to feed the world in 2050? Food and Agriculture Organization. 2009. http://www.faoorg/fileadmin/templates/wsfs/docs/expert_paper/ How_to_Feed_the_World_in_2050pdf.
- Van Ittersum K, Van Bussel LG, Wolf J, Grassini P, Van Wart J, Guilpart N et al. Can sub-Saharan Africa feed itself? PNAS Sustain Sci. 2016:1–6. www.pnas.org/cgi/doi/10.1073/pnas.1610359113.
- Sasson A. Food security for Africa: an urgent global challenge. Agric Food Secur. 2012;1:2. doi:10.1186/2048-7010-1-2.
- Omotayo OE, Chukwuka KS. Soil fertility restoration techniques in sub-Saharan Africa using organic resources. Afr J Agric Res. 2009;4(3):144–50.

- Tully K, Sullivan C, Weil R, Sanchez P. The state of soil degradation in Sub-Saharan Africa: baselines, trajectories, and solutions. Sustainability. 2015;7:6523–52.
- Zougmoré R, Jalloh A, Tioro A. Climate-smart soil water and nutrient management options in semiarid West Africa: a review of evidence and analysis of stone bunds and zaï techniques. Agric Food Secur. 2014;3:16.
- Ramirez-Villegas J, Thornton PK. Climate change impacts on African crop production. CCAFS Working Paper no 119 CGIAR Research Programme on Climate Change, Agriculture and Food Security (CCAFS) Copenhagen, Denmark. 2015. www.ccafscgjarorg.
- Zougmoré R, Partey S, Ouédraogo M, Omitoyin B, Thomas T, Ayantunde A, et al. Toward climate-smart agriculture in West Africa: a review of climate change impacts, adaptation strategies and policy developments for the livestock, fishery and crop production sectors. Agric Food Secur. 2016;5:26.
- Nyuor AB, Donkor E, Aidoo R, Buah SS, Naab JB, Nutsugah SK, et al. Economic impacts of climate change on cereal production: implications for sustainable agriculture in Northern Ghana. Sustainability. 2016;8:724. doi:10.3390/su8080724.
- Palazzo A, Vervoort JM, Mason-D'Croz D, Rutting L, Havlík P, Islam S, et al. Linking regional stakeholder scenarios and shared socioeconomic pathways: quantified West African food and climate futures in a global context. Glob Environ Change. 2016;. doi:10.1016/jgloenvcha.2016.12.002.
- CCAFS. Climate-Smart Villages. An AR4D approach to scale up climatesmart agriculture. Copenhagen, Denmark: CGIAR Research Program on Climate Change, Agriculture and Food Security (CCAFS). 2016. www. ccafscgiarorg.
- FAO. Climate-Smart Agriculture Sourcebook. Executive Summary Rome, Italy: Food and Agriculture Organization of the United Nations. 2013. http://www.faoorg/3/a-i3325epdf.
- 14. Yengoh JT. Determinants of yield differences in small-scale food crop farming systems in Cameroon. Agric Food Secur. 2012;1:19.
- Sanogo D, Ndour BY, Sall M, Toure K, Diop M, Camara BA et al. Participatory diagnosis and development of climate change adaptive capacity in the groundnut Basin of Senegal: building a climate-smart village model. Agric Food Secur. 2017 (accepted).
- Buah SSJ, Hashim I, Mavis D, Martin K, James VS, Linus K et al. Tillage and fertilizer effect on maize and soybean yields in the Guinea Savanna Zone of Ghana. Agric Food Secur. 2017 (accepted).
- Sanou J, Bationo BA, Barry S, Nabié LD, Bayala J, Zougmore R. Combining soil fertilization, cropping systems and improved varieties to minimize climate risks on farming productivity in northern region of Burkina Faso. Agric Food Secur. 2016; doi:10.1186/s40066-016-0067-3.
- Traoré K, Sidibé D, Coulibaly H, Bayala J. Optimising yield of improved varieties of millet and sorghum under highly variable rainfall conditions using contour ridges in Cinzana, Mali. Agric Food Secur. 2017;6:11. doi:10.1186/s40066-016-0086-0.
- Etwire PM, Buah S, Ouédraogo M, Zougmoré R, Partey ST, Martey E et al. An assessment of mobile phone-based dissemination of weather and market information in the Upper West Region of Ghana. Agric Food Secur. 2017;6:8. doi:10.1186/s40066-016-0088-y.
- Belem B, Nacoulma BMI, Gbangou R, Kambou S, Hansen HH, Gausset Q, et al. Use of Non Wood Forest Products by local people bordering the "Parc National Kaboré Tambi", Burkina Faso. J Transdiscipl Environ Stud. 2007;6(1):1–21.
- Faye MD, Weber JC, Tougiani A, Boureima M, Larwanou M, Bationo BA, et al. Farmers' preferences for tree functions and species in the West African Sahel. For Trees Livelihoods. 2011;20:113–36.
- 22. Ouédraogo P, Bationo BA, Sanou J, Traoré S, Barry S, Dayamba SD et al. Uses and vulnerability of ligneous species exploited by local population of northern Burkina Faso in their adaptation strategies to changing environments. Agric Food Secur. 2017 (accepted).
- Ouédraogo P, Bationo BA, Sanou J, Traoré S, Barry S, Dayamba SD et al. Assessment of ligneous resources following topographic distribution for adaptive management of ecosystems in northern Burkina Faso in the context of climate change. Agric Food Secur. 2017 (under review).